BEST AVAILABLE COPY

Sep-202 14:25;

We claim:

A method of delivering information across a computer network, comprising the steps of:

receiving a request from a client program for user-selected information; transmitting provider-selected information in response to the request if no qualifying provider-selected message has been previously transmitted to the client program.

An apparatus for delivering information across a computer network, comprising: a computer network;

an information server for receiving a request for user-selected information from a client program;

the server being configured to transmit provider-selected information in response to the request if no qualifying provider-selected message has been previously transmitted to the client program.

A method of delivering information across a computer network, comprising the steps of:

receiving a request from a client program for user-selected information; transmitting provider-selected information in response to the request if no qualifying provider-selected message has been transmitted to the client program within at least one provider-selected interval.

An apparatus for delivering information across a computer network, comprising: at computer network;

an information server for receiving a request for user-selected information from a client program;

BEST AVAILABLE COPY

the server being configured to transmit provider-selected information in response to the request if no qualifying provider-selected message has been previously transmitted to the client program within at least one provider-selected interval.

- 5. The method of claim 1, wherein said request from a client program is by means of the Hypertext Transport Protocol.
- 6. The method of claim 1, further comprising the steps of:

 transmitting the user-selected information if a qualifying provider-selected message has
 been previously transmitted to the client program.
- 7. A method of delivering information across a computer network, comprising the steps of:

receiving a request from a client program for user-selected information;

transmitting provider-selected information in response to the request if no qualifying provider-selected message has been previously transmitted to the client program;

the provider-selected information causing the client program to transmit a second request for user-selected information.

8. An apparatus for delivering information across a computer network, comprising: a computer network;

an information server for receiving a request for user-selected information from a client program;

the server being configured to transmit provider-selected information in response to the request if no qualifying provider-selected message has been previously transmitted to the client program;

BEST AVAILABLE COPY

the provider-selected information causing the client program to transmit a second request for user-selected information.

- 9. The method of claim 7, further comprising the step of: transmitting the requested user-selected information in response to the second request for user-selected information.
- 10. A method of delivering information across a computer network, comprising the steps of:

receiving an HTTP GET request from a client program for user-selected information;
transmitting from a server a provider-selected information in response to the HTTP GET

the provider-selected message causing the client program to transmit an HTTP POST

transmitting the user-selected information in response to the HTTP POST request.

The method of claim 10, wherein: wherein said HTTP POST request includes a referrer header containing a URL for the server.